




SHOUT
SHARE **IT**



1716
HARVARD UNIVERSITY.



LIBRARY

OF THE

MUSEUM OF COMPARATIVE ZOÖLOGY

13,961

Bought

August 16, 1920 - July 7, 1921.

JUL 7 1921

13.961

13y-

BULLETINS
OF
AMERICAN
PALEONTOLOGY
VOL. 8

March 1919—March 1921

— * —

Harris Co.
Cornell Univ., Ithaca, N. Y.
U. S. A.

JUL 7 1921

BULLETINS
OF
AMERICAN PALEONTOLOGY

— * —

Vol. 8

— * —

No. 36

ILLUSTRATIONS AND DESCRIPTIONS OF FOSSIL
MOLLUSCA CONTAINED IN THE PALEONTOLOGICAL
COLLECTIONS AT CORNELL UNIVERSITY

BY

KATHERINE E. H. VAN WINKLE

March 1, 1921

— * —

Harris Co.
Cornell Univ., Ithaca, N. Y.
U. S. A.

ILLUSTRATIONS AND DESCRIPTIONS OF FOSSIL
MOLLUSCA CONTAINED IN THE PALEON-
TOLOGICAL COLLECTIONS AT CORNELL
UNIVERSITY.

BY

KATHERINE E. H. VAN WINKLE

NOTES AND ILLUSTRATIONS OF SOME TYPES OF WEST COAST
SPECIES DESCRIBED BY CARPENTER.

While recently arranging collections in the Paleontological Museum of Cornell University, the discovery was made of two forgotten types which belonged to the Jewett Collection, bought many years ago by Ezra Cornell.

In 1866, Carpenter* described in the *Annals and Magazine of Natural History*, five new species of mollusca, from material collected and sent him by Col. E. Jewett, from the Pleistocene of Santa Barbara, California. To explain what happened to those forms described by Carpenter we quote a note which follows the article describing the species: "Unfortunately, during the long interval which has elapsed between the transmission of the MS. and receipt of the proof, the types have been returned to the owner, and (with the remainder of Col. Jewett's invaluable collection of fossils) have become the property of a college in New York State. As they are packed in boxes, and at present inaccessible, I am unable to give the measurements; but the unique specimens were drawn on wood by Mr. Sowerby for the

* Carpenter, Philip P. On the Pleistocene Fossils collected by Col. E. Jewett, at Sta. Barbara, California; with Descriptions of New Species. *Ann. Mag. Nat. Hist.* 3rd Ser. Vol. XVII, pp. 274-278, 1866; *Smith. Misc. Coll.* 252, pp. 319-325, 1872.

Smithsonian Institution.—P. P. C., Montreal, Feb. 22, 1866."

The "college in New York State" was Cornell University where the collection has remained since its purchase, referred to in Carpenter's note. The finding of the two types offers occasion for their illustration inasmuch as they have not heretofore been figured. The species described as new were :

1. *Turritella Jewettii*,
2. *Bittium armillatum*—the type is stated by Bartsch to be in the U. S. N. M., Cat. No. 15653 and is figured by him in Proc. U. S. N. Mus., vol. 40, 1911, pl. 52, fig. 6.
3. *Opalia* (? *crenatoides*, var.) *insculpta*—type C. U. M. Cat. No. 4950.
4. *Trophon tenuisculptus*—type ; C. U. M. Cat. No. 4951.
5. *Pisania fortis*.

Dentiscala insculpta (Carpenter) 1866.

Pl. I. Figs. 10, 11.

Opalia (? *crenatoides* var.) *insculpta* Carpenter, Rep. Brit. Asso. Ad. Sci. for 1863, 1864, p. 660 ; Ann. Mag. Nat. Hist. 1866, 3rd ser., vol. XVII, p. 277. Reprint, Smith Misc. Coll. 1872, 252, p. 324.

Dentiscala insculpta Dall, Proc. U. S. Nat. Mus. 1917, vol. 53, p. 473.

Remarks 1863. "Like the C. S. L. form and *crenata*, but ribs closer, without spiral sculpture, sutural holes behind the basal rib."

Original description.—"O. testa O. *crenatoidei* simili ; sed costis radiantibus pluribus, xiii,—xvi., in spira validis ; anfr. ult. obsoletis ; sculptura spirali nulla ; punctis suturalibus minus impressis, circa fasciam basalem lævem postice, non antice continuis.

Hab. Sta. Barbara, Pleistocene, 1 sp. (*Jewett*).

Very closely related to *O. crenatoides*, now living at Cape St. Lucas, and, with it, to the Portuguese *O. crenata*. It is quite possible that the three forms had a common origin."

The exterior of the shell of this type has been worn away except in the sutural region, hence the exact character of the longitudinal ribs cannot be described, however prominent impressions of each reveal fourteen ribs on the whorls.

Dimensions of type.—Height 14 mm. ; width of body whorl 7 mm.

This specimen has an original label which reads "Drawn by Sowerby for the SL."

Boreotrophon tenuisculpta (Carpenter) 1866. Pl. 1. Figs. 6-9.

Trophon tenuisculptus Carpenter, Rep. Brit. Ass. Ad. Sci. for 1863, 1864, p. 25 ; Ann. Mag. Nat. Hist., 3rd ser., vol. XVII, p. 277, 1866 ; Reprint Smith. Misc. Coll. 252, 1882, p. 324.

Not *Trophon tenuisculptus* Tryon Man. Conch. 1880, vol. 11, pl. 33, fig. 359 (after Kobelt, Küster, Conch. Cab. t. 76, f. 9.)

Trophon (Boreotrophon) tenuisculpta Arnold Mem. Cal. Acad. Sci. 1903, vol. III, p. 253.

Boreotrophon tenuisculptus Dall, Proc. U. S. Nat. Mus. 1902, vol. 24, p. 541.

Original Description.—"T. testa *T. Barvicensi* simili, sed sculptura minus extante ; vertice nucleoso minimo ; anfractibus uno et dimidio lævibus, apice acuto ; normalibus v., tumidis, postice subangulatis, suturis impressis ; costis radiantibus x.-xiv., plerumque xii., haud varicosis, angustis, obtusis ; liris spiralibus majoribus, distantibus, quarum ii.-iii. in spira monstrantur, aliis intercalantibus, supra costas radiantes undatim transeuntibus ; tota superficie lirulis incrementi, supra liras spirales squamosis, eleganter ornata ; canali longiore, subrecta, vix clausa ; labro acutiore, postice et intus incrassato, dentibus circ. v. munito ; labio conspicuo, lævi ; columella torsa.

Hab. Sta. Barbara, Pleistocene formation (*Jewett*).

This very elegant shell is like the least-sculptured forms of *T. Barvicensis*, from which it appears to differ in its extremely small nucleus. It is very closely related to *T. fimbriatulus*, A. Ad., from Japan, but differs in texture, and is regarded by Mr. Adams as distinct. It stands on the confines of the genus, there being a slight columellar twist, as in *Peristernia*."

Dimensions of specimens.—Height 16 mm ; max. width body whorl 8 mm. ; height 13 mm. ; max. width body whorl 7 mm.

There are two specimens of this species, on the original card, labelled "type."

Volvula cercadensis, n. n.

Not *Volvula cylindrica* Carpenter 1863, Rep. Brit. Ass. Ad. Sci., p. 647 ; 1865, Ann. Mag. Nat. Hist. 3rd ser., vol. XV, p. 179 ; 1872, Smith Misc. Coll. 252, p. 281.

Not *Volvula cylindrica* Smith, 1871, Proc. Zool. Soc., London, p. 738, pl. LXXV, fig. 29 (= *V. smithii* Pilsbry 1893, Man. Conch. XV, p. 233).

Volvula cylindrica Gabb 1873, Trans. Phil. Soc., n. s. 15, p. 246.

The name *Volvula cylindrica* used by Gabb in 1873 for a shell from Santo Domingo was previously used in literature and applied in 1863 by Carpenter to a recent species from Santa Barbara, California. His description at that time is too inadequate and would therefore be rejected but in 1865 he gave a full description of this species thus making the name valid from the latter date.

NEW SPECIES FROM THE EOCENE AT NEW CASTLE, VIRGINIA.

In a former number* of the Bulletins of American Paleontology, we published a few notes and descriptions of new species from Eocene localities in Virginia. The material had been collected on the 1st expedition of the *Ianthina* to the south, in 1897. Recently, (summer of 1920), Mr. Axel Olssen collected material from Newcastle, Virginia and more material from the '97 trip was found in the laboratory which had not been worked up. Both of these collections contained some interesting new things as well as a greater number of the old.

From the material we have revised and increased the list of species identified from Newcastle, Virginia and include the list in this article.

The species described are all from Newcastle, Virginia and are all of St. Maurice, Eocene age. The types or specimens figured are in the Paleontological Museum of Cornell University.

* Bull. Amer. Pal. 1919, vol. 8, No. 33, pp. 6-12.

PELECYPODA

1. *Anapteris regalis* Harris & Van Winkle.
2. *Anomia marylandica* Clark.
3. *Arca rhomboidella* Lea.
4. *Corbula aldrichi* Meyer.
5. *Corbula murchsoni* Lea.
6. *Corbula subengonata* Dall.
7. *Glycymeris idoneus* (Conrad).
8. *Leda cælatella* Harris & Van Winkle.
9. *Leda cutelliformis* (Rogers).
10. *Leda parva* (Rogers).
11. *Leda potomacensis* Clark & Marten.
12. *Lirodiscus virginianus* n. sp.
13. *Macrocallista subimpressa* (Conrad).
14. *Mactropsis olssoni* n. sp.
15. *Ostrea sellæformis* Conrad.
16. *Pecten clarkeanus* Aldrich.
17. *Phacoides claibornensis* Dall ?
18. *Phacoides pomilia* var. *smithi* Meyer.
19. *Pitaria ovata* (Rogers).
20. *Pteropsis harrisi* n. sp.
21. *Protocardia lenis* Conrad.
22. *Spisula paralis* (Conrad).
23. *Tellina papyria* Conrad.
24. *Venericardia planicosta* Lamarck var.

GASTROPODA

1. *Adeorbis novi-castris* Harris & Van Winkle.
2. *Adeorbis* ? *virginiensis* Harris & Van Winkle.
3. *Calyptrea aperta* (Solander).
4. *Calyptrophorus trinodiferus* Conrad.
5. *Crepidula lirata* ? Conrad.
6. *Latirus* sp.
7. *Levifusus* sp.
8. *Lunatia marylandica* (Conrad).
9. *Plejona petrosa* (Conrad).

10. *Pseudoliva vestuta* (Conrad).
11. *Ringicula dalli* Clark.
12. *Strepsidura subscalarina* Heilprin.
13. *Teinostoma laevis* (Meyer).
14. *Teinostoma subrotunda* Meyer ?
15. *Turritella clevelandica* Harris, var. Harris.

SCAPHOPODA

1. *Dentalium minutistriatum* Gabb.
2. *Dentalium thalloides* Conrad.

Genus LIRODISCUS Conrad

Lirodiscus virginianus n. sp.

Pl. I. Fig. 1.

Description.—Shell thick, subrectangular, umbones flattened; surface ornamented with prominent, concentric undulations; margin crenulated.

Long. 19 mm. ; alt. 14 mm.

This species is of the *L. tellinoides* stock but differs from the typical specimens in the lack of the posterior sulcus and from all varying forms of that species in the less rounded, ventral margin, in this respect *virginianus* is more like *L. protractus* ? Dall. Meyer's figures of *protractus* show a greater production of the posterior end, as well as the margin entire. *L. smithvillensis* Har. is shorter and more rounded.

From material collected on 1st *Ianthina* Expedition, '97.

Genus MACTROPSIS Conrad

Mactropsis Olssoni n. sp.

Pl. I. Figs. 4, 5.

Description.—Shell moderately thin, triangular; posterior umbonal slope prominent, angulated, the sharpness of the angulation varies in different specimens, on the type specimen the slope is great enough to hide the posterior margin from an external, medial view; beaks high and full; posterior and anterior regions with large, well-marked areas, differentiated by indentations which extend from the beak to the margin of the shell. Exterior surface with prominent, regular, concentric striæ, which decrease in number and become more pronounced on the anterior and posterior, dorsal areas.

Long. 9 mm. ; alt. 8 mm.

From material collected by Axel Olsson in 1920.

Genus **PTEROPSIS** Conrad

Pteropsis harrisi n. sp.

Pl. 1, Figs. 12, 13.

Description.—Shell very thin and fragile, probably subovate in shape ; surface covered with wavy, regular undulations which terminate, on the posterior margin a short distance anterior to the extremity of the margin, in a ridge which extends from the beaks ventrad ; anterior dorsal portion inflated, bearing slight traces of the undulations.

The only specimen we have of this species has the ventral portion broken, the anterior margin is slightly crushed, giving that region an appearance of greater inflation than we believe it would normally have. The concentric sulci are very much like those of *P. lapidosa* Con.; *P. harrisi* may be only a variety of *lapidosa* or possibly the same species, but that can be decided only by more material.

The hinge of this species is so well preserved and being a right valve (the left valve only of the type of the genus having been figured) we believe it worthy an illustration. A small amount of matrix had to be left in the anterior region to act as support for the crushed portion of the shell above.

From material collected on the 1st *Ianthina* expedition in '97.

Genus **CORBULA** Bruguière

Subgenus **ANAPTERIS** Harris & Van Winkle

Anapteris Harris & Van Winkle, Bull. Am. Pal. 1919, Vol. 8, p. 7.

Description of right valve.—Shape and ornamentation as in the left valve, exhibiting on the posterior end the characteristic flare or wing. The ridge which bounds the wing has a narrow groove which extends along the posterior side of the ridge from the umbonal region to the posterior ventral margin, a correspond-

ing groove may or may not extend on the anterior side of the ridge ; valve convex.

Anapteris regalis H. & V. W.

Pl. 1. Figs. 2, 3.

TYPE : *A. regalis* H. & V. W., *l. c.* p. 7, pl. 1, figs. 1, 2, 3.

This new and peculiar corbuloid form was described from the left valve only. Finding in our later work on Newcastle, Va. material, two specimens of the right valve, we include the figure of one with those of new forms described in this article.


From material collected on 1st *Ianthina* Expedition in '97.

PLATE I

(15)

EXPLANATION OF PLATE.

	Page
Fig. 1. <i>Lirodiscus virginianus</i> , n. sp. Left valve. Long. 19 mm. Alt. 14 mm.....	8
2. <i>Anapteris regalis</i> H. & V. W. Right valve, interior. Long. 15 mm. Alt. 8 mm.....	9
3. <i>Anapteris regalis</i> H. & V. W., same specimen. Exterior view	9
4. <i>Mactropsis olssoni</i> , n. sp. showing hinge.....	8
5. <i>Mactropsis olssoni</i> , n. sp., right valve. Long. 9 mm. Alt. 8 mm. 8	8
6. <i>Boreotrophon tenuisculpta</i> (Carpenter). Height 16 mm. Diam. body whorl 8 mm.....	5
7. <i>Boreotrophon tenuisculpta</i> (Carpenter), same specimen.....	5
8. <i>Boreotrophon tenuisculpta</i> , smaller specimen	5
Height 13 mm. Diam. body whorl 7 mm.	
9. <i>Boreotrophon tenuisculpta</i> (Carpenter), same specimen	5
10. <i>Dentiscala insculpta</i> (Carpenter). Height 14 mm. Diam. body whorl 7 mm.....	4
11. <i>Dentiscala insculpta</i> , (Carpenter), same specimen.....	4
12. <i>Pteropsis harrisi</i> , n. sp. Hinge.....	9
13. <i>Pteropsis harrisi</i> , n. sp. Right valve. Long. 21 mm. Alt 12 mm. of fragment.....	9



INDEX TO VOLUME 8

Note.—Page numbers are in Roman numerals ; plate numbers are in Italics.

A

- Abra æqualis.....124
 lioicia.....124
 longicallus.....125
 nuculiformis.....124
 Adeorbis.....163
 novi-castris.....I..9, 11, 353
 virginiensis.....I..9, 11, 353
 Acanthodes elongatus 10.....249
 Acar.....45
 Achatina reticulata.....300
 Aclis helecteroides183, 196
 teres296
 Acceli.....156
 Acuarii.....156
 Agassizia clevei.....255
 Agriopoma.....101
 Allogramma73
 Allomorphina trigona.....271
 Ally Creek beds foraminifera...267
 Aloidis138
 Amblypygus americanus.....193
 Ammonites peruvianus318
 Amodiscus.....335
 charoides.....267, 269
 gordialis.....269
 incertus.....267, 269, 283, 321
 tenuis.....283
 Amphidesma constricta.....94
 orbiculata.....121
 punctata.....91
 reticulata.....122
 subtruncata.....122
 Amphistegina.....336
 lessoni.....274
 vulgaris ..258
 Amusium dalli.....61
 cancellatum.....62
 mortoni.....61
 papyraceum.....61
 pourtalesianum62
 " marmoratum.....63
 Amygdalum66
 Anapteris.....7, 355
 regalis.....I..15..7, 10, 353, 356
 Anatina globulosa.....247
 papyratia71
 Ancillaria glabrata.....301
 glandiformis.....186, 216
 lamellata 186, 216, 297, 301, 313
 pinguis215
 rubiginosa216
 shepardi.....301, 313
 Anguilla, specific relations.....194
 Angulus114
 Anisodonta carolina.....74
 elliptica74, 95
 Anisodonta quadrata granatina..74
 Anodon batesii.....288
 leotaudi.....288
 pullchana.....288
 sirionos.....288
 Anomalina amonoides.....273
 ariminensis273
 grosserugosa.....273, 277
 polymorpha.....274
 wullerstorfi.....273, 277

- Anomolocardia brasiliana*.....107
 caloosana.....108
 cuneimeris.....107
 floridiana.....48
Anomia17
 electrica64
 ephippium.....64
 floridana.....64
 glabra.....64
 lisbonensis10
 marylandica.....10, 353
 simplex.....64
 umbonata.....298
Anthocyrtis.....266
Antigona callimorpha103
 rugatina103
Antilles "Isolated Rock." Scot-
 land formation.....181
 Pliocene.....180
 Post-pliocene.....180
 Terebratula beds.....181
 terrains "à Galibis" of
 Guadeloupe180
 Tertiary fossils of.....152
 Upper Miocene181
Antigua, geology of.....154, 330
 Guppy on relation volcanic
 and calcareous rocks 330
 Dr. Watts' remarks on.....154
Arca Adamsii46, 191
 aurita.....42
 barbata.....44
 campechensis51
 centrota.....5.....191, 202, 223
 chemnitzii51
 cœlata45
 consobrina.....190, 298, 304
 contraria.....47
 donaciformis.....164
 elegans.....47
 flicata190
 glomerula.....52
 grandis.....279
 Arca halidonata304
 imbricata43
 inæquilateralis190
 incongrua.....50, 169, 190
 labiata.....52
 noæ.....43, 164, 190
 occidentalis.....43
 patricia.....190, 279, 281, 295, 298
 pectinata53
 pectunculoides.....53
 pectunculoides var.
 orbiculata.....53
 pexata191
 ponderosa.....47
 rhomboidella.....353
 secticostata48
 solida164
 squamosa.....191
 tæniata.....309, 313
 trinitaria190
 umbonata43
 zebra.....43
Argiline265
Argina51
 americana51
 pexata.....51
Asaphis coccinea.....126
 deflorata126
Astarte globula76
 liogona76
 lunulata77
 mauriana.....3.....19, 20
 martinicensis.....164, 167, 168
 nana76
 smithi76
 trinidadensis.....3.....20
Asterostoma cubense257
Asthenothærus hemphilli71
Atlanta cordiformis.....244
 rotundata.....244
Atlantis, Theory of.....177, 325
Atrina rigida.....54
 serrata.....54

Avicula.....	157	Biloculina lævis.....	269
atlantica.....	55	ringens.....	269
hirundo.....	55	Bittium armillatum.....	350
nitida.....	56	Blue limestone.....	229
placunoides.....	56	Fossils from.....	231
radiata.....	56	Heterocercal fish in.....	249
vitrea.....	56	Bolivina ænariensis.....	270
Azara.....	141	alata.....	270
Azor.....	127	beyrichii.....	270, 283
B			
Bairdia amygdaloides.....	266	nobils.....	270
Balani.....	165	pusilla.....	270
Balanus porcatus.....	298, 304	robusta.....	270
Balantium undulatum.....	244	Boreotrophon tenuisculptus..	15, 351
Barbatia adamsi.....	45	Botanic station, Trinidad	
adamsi conradiana.....	46	specimens from.....	281
barbata.....	44	Bothrocorbula.....	141
candida.....	44	Botula cinnamomea.....	68
clathrata.....	45	Botulina.....	67
divaricata.....	45	Brachydontes.....	67
domingensis.....	45	Brady, foot-note on Barbados	
gradata.....	45	beds.....	265
jamaicensis.....	44	Brissopsis antillarum.....	256
paserula.....	46	Brissus dimidiatus.....	193, 256, 304
reticulata.....	45	exiguus.....	256, 298, 304
squamosa.....	45	unicolor.....	256
Barbuda, specific relations.....	194	Bryozoa.....	160
Barnea arcuata.....	144	Buccinum clausiformis ?.....	162
costata.....	143	Bulimina affinis.....	270
maritima.....	144	buchiana.....	270
truncata.....	144	contraria.....	270
virginianus.....	143	elegans.....	270
Barrett, mention made.....	175, 176	inflata.....	270
Basterotia.....	74	ovata.....	270
Bathyarca.....	52	pupoides.....	270
Belemnites from Point à Pierre..	156	pyrula.....	270, 283
Bellucina.....	90	striata.....	270
Bentharca asperula.....	46	Bulla granosa.....	182
Benthonela turbinata.....	296, 335	maculosa.....	209
Bigenerina capreolus.....	270	paupercula.....	182, 296
nodosaria.....	283	striata.....	164, 168, 182, 209
pennatula.....	270	vendryesiana.....	209, 296
Biloculina depressa.....	269, 277	Byssosarca glomerula.....	52

C

- Cæcum pulchellum*.....163
Cadulus mitrula.....310
 parianus.....296, 334
 peranulatus.....335
 ventustus.....310
Calcaroma.....266
Calloarca.....44
Callocardia idonea.....101
 morruana.....101
 sayana.....101
 sayi.....101
 texasiana.....101
 vesica.....100
 zonata.....102
Callucina.....87
Calyptrea albida.....163
 aperta.....11, 353
 auriculata.....222
 cuvieri.....222
Calyptrophorus sp.....11
 trinodiferus.....11, 353
 velatus.....11
Cancellaria Barreti.....184
 lævescens.....184, 297
 moorei.....184
 reticulata.....210
 scalatela.....210, 297
 varicosa.....210
Capulus effluens.....308, 310
Caratomus pisiformis.....192
 Carbonaceous substances,
 Guppy on.....287
Cardiomya.....75
 costellata.....75
Carditamera.....79
Cardita conradi.....80
 domingensis.....79
 floridiana.....79
 gibbosa.....79
 gracilis.....79
 minima.....190
Cardita scabricostata.....309
 tridentata.....80
Cardium apateticum.....96
 aspersum.....96
 bullatum.....96
 campechiense.....95
 carneosum.....117
 castum.....190
 citrinum.....97
 compressum.....298, 304
 eburnirerum.....5.....223
 egmontianum.....94
 galvestonense.....96
 gossei.....95
 haitense.....190, 194, 309
 inæquilaterale.....95
 inconspicuum.....190
 isocardium.....94, 164, 168
 lævigatum.....97
 lingua-leonis.....190
 magnum.....95
 medium.....96
 mortoni.....97
 muricatum.....94, 190
 obovale.....164
 oviputamen.....97
 pictum.....97
 ringiculum.....165
 robustum.....95
 serratum.....97
 soleniforme.....96
 spinosum.....96
 ventricosum.....95
 Caribbean region, geologic
 connexions.....153
 Caribbean Group, fossils of.....226, 229
 Caribbean. list of fossils.....182
 Caribbean area, list of work on
 geology of.....326, 342
Caricella pyruloides.....11
Cavilucina.....85
Carinaria caperata.....296
Carolina Eocene fossils.....13

Caroni series, Guppy on.....	332	Chemnitzia	163
Caroni series, sequence.....	263	modesta	196
Caroni beds, specific relations..	194	ornata	196
Carpenteria monticularis.....	274	pulchella ..	196
Carpenter, Philip. West coast		subcarinata	182
species.....	349, 352	turris	182, 196
Carpocanium coronatum.....	266	Chilostomella ovoidea.....	270, 283
Cassidaria lævigata.....	185	Chione alveata.....	106
sublævigata	189	burnsi	105
Cassidulina crassa	270	cancellata	104
lævigata.....	270	cortinaria	105
subglobosa.....	270	cribraria.....	105
Cassidulus guadalupensis.....	192	grus.....	106
Cassid granolata.....	216	intapurpurea.....	105
monilifera	185	latilirata.....	105
reclusa.....	216	paphia.....	106
subulosa.....	216	parva	106
sulcifera.....	185, 309, 311	pygmæa.....	107
Cerastoderma	95	trapezoidalis	107
Cerconya ledæformis.....	188	ulocyma.....	106
Cellaria salicornia	165, 198	varicosa	106
Cerithiopsis	166	Chiton.....	164
punctatum.....	183	Cidaris anguillæ	252
subulatum	163	clevi.....	252
Cerithium plebeium.....	183	loveni	253
uniseriale.....	183	melitensis.....	192, 252
Cetoconcha	74	metularia.....	192
bulla	74	athleta	106
Chama arcinella.....	81, 190	Circe hebræa.....	102
bicornis.....	81	Cisseus asterisca.....	194
citrea.....	81	Clavatula labiata.....	335
congregata.....	80	Clavulina communis.....	269
involuta.....	218	eocæna	283
lazarus	81	parisiensis	279
macrophylla.....	81, 164	Clavella hercules.....	11
ruderalis	190, 218	Clementia tæniosa.....	297, 313
Chlamys exasperatus	59	Cleo truncata.....	335
fusco-purpureus.....	59	Cleodora.....	244
gibbus.....	59	Cleve, P. T. Collected echino-	
gibbus irradians.....	60	derms in West Indies..	251
nodosus.....	59	Clidiophora nasuta.....	72
ornatus	59	Clypeaster antillarum.....	253
Chaguanas, coal strata.....	161	concavus.....	253, 295

- Clypeaster crustulum*.....192
 Duchassaingi.....192
 elipticus.....192, 253, 295, 337
 parvus.....192
Coccoliths.....265
Codakia costata.....84
 cubana.....83
 orbicularis.....83
 orbiculata.....83
 orbiculata orbiculata.....84
 orbiculata filata.....84
 orbiculata imbricata.....84
 orbiculata recurvata.....84
Columbella.....162, 163
 ambigua.....185
 clausiformis.....198
 Duclosiana.....185
 gradata.....185
 haitensis.....185
 peculiaris.....185, 198
 pulchella.....185
 venusta.....185, 309, 311
Congeria leucopheata.....70
 rossmassleri.....70
 sallei.....70
Conus bulbosus.....199
 catenatus.....186, 311
 consobrinus.....186, 211
 domingensis.....186, 311
 fuscocingulatus.....205
 gracilissimus.....186
 granozonatus.....186
 haitensis.....186, 311
 interstinctus.....186, 311
 marginatus.....186
 planiceps.....311
 planiliratus.....186, 297
 prototypus.....186, 198
 pusio.....186
 solidus.....198, 211, 310
 stenostomus.....186, 309, 311
 sulculus.....311
 symmetricus.....186, 311
Conus recognitus
 186, 198, 211, 308, 310
 verulosus.....163
Coralliophaga carditoidea.....76
 coralliophaga.....76
Coralliophila magna.....297, 301
Corbula alabamiensis.....10, 141
 aldrichi.....10, 353
 barrattiana.....139
 bicarinata.....164
 caribæa.....188
 conradi.....140
 contracta.....139
 costellata.....75
 cubaniana.....188
 cuneata.....139
 dietziana.....140
 disparilis.....138
 dominicensis.....338
 engonata var. *burnsii*.....140
 galvestonensis.....138
 heterogenea.....137, 335
 murchsoni.....10, 353
 nasuta.....140
 operculata.....138
 philippi.....138
 pisum.....165, 166
 priscopsis.....141
 pygmæa.....164, 167
 quadrata.....74
 radiatula.....141
 subengonata.....353
 swiftiana.....140
 swiftiana var. *harrisi*.....140
 vieta.....188, 217, 297
 viminea.....188, 297, 303
 whitfieldi.....140
Cornuspira.....335
 involvens.....269
 polygyra.....283
Cornutella.....266
Corosal Ditrupabed, fossils of...335
Cotteau on echinoderms of

- West Indies.....251
- Couva, coal strata.....161
- Wall, report on mineral
fields234
- Crassatellites alæformis.....10
- dalli77
- eutawcolens 2.....14
- floridana76
- gibbesi76
- limulatus78
- mactracea.....78
- Crassatella marylandica312
- melina309, 312
- jamaicensis 312
- Crassinella galvestonensis.....77
- guppyi. 297
- lanulata77
- Crenella decussata69
- divaricata.....69
- lateralis68
- Crepidula aculeata.....163, 187
- lirata.....11, 353
- Crepidatella cepula.....185, 216
- Creseis244
- Cristellaria aculeata.....272, 323
- calcar272
- cassis272
- clypeata283
- compressa272
- crepidula.....271, 283
- cultrata.....292
- echinata.....272, 283
- gibba.....272
- italica.....272, 283
- limbata.....283
- nitida272
- obtusata272
- orbicularis.....272
- papillosa.....272
- rotulata.....272
- tenuis271
- wetherelli.....272
- Crucibulum piliferum.....187, 199
- Crucibulum striatum.....163, 199
- subsutum.....187, 199
- tubifer.....163
- Cryptodon obesus.....93
- Cucullaria46
- Cucullæa onochela.....10
- transversa10
- Cumana, Venezuela n. sp. bi-
valve mollusca.....151
- New species mollusca.....221
- Specific relations.....194
- Older Parian formation.....156
- Cumingia borealis.....124
- medialis124
- tellinoides123
- Cuna77
- Cunearca50
- Cuneocorbula.....139
- Cuneolina pavonia.....270
- Cunningham-Craig, collec-
tion of.....288
- Mention of.....318
- Cupularia calyxglandis
.....192, 202, 309
- owenii.....202
- pyriforme.....191, 202
- Cuspidaria arcuata75
- costellata.....75
- glacialis.....75
- jeffreyi.....75
- perrostrata75
- rostrata.....75
- Cuvieria244
- Cyclamina cancellata.....269, 283, 321
- orbicularis.....269
- pusila.....283
- Cyclina tenuis.....104
- Cyclinella tenuis103
- Cyclostrema bicarinatum.....188
- Cydippina121
- Cylichna mirrotrema.....335
- ovumlacerti.....182, 195
- Cyllene pulchella216

- Cypræa henekeni*.....187, 334
 mus334
 pustulata187
 vaughani23
Cypricardia hornbeckiana.....76
Cyrenoida floridana.....78, 92
 caloosäensis.....92
Cyrena caroliniana.....78
 donaciformis.....79
 protexta.....78
 semistriata289
 solida.....289
Cythere circumdentata.....266
 dictyon.....266
 rastromarginata.....266
 vinimea.....266
Cytherea carbacea.....189
 circinata.....189, 218
 convexa.....101, 189
 dariena.....100
 dione.....167
 hebræa102
 juncea.....189, 218, 309
 listeri103
 planivieta.....12, 189, 297, 302, 313
 rubiginosa.....102
 strigilina.....291
 tigerina.....83
 varians.....102
Cytherella dromedaria.....266
 polita.....266

D

- Daphnella sicula*.....163
Dentalina communis.....258
 elegans.....258
 filiformis.....258
Dentalium antillarum187
 apicinum.....164
 asgum.....12
 disparile.....187
 dissimile.....187
 domingense.....308
Dentalium entalis.....164
 minutistriatum.....12, 354
 mississippiense.....187
 prisma.....335
 thalloides.....12, 354
Dentiscala inculpta.....15, 350
Detrital Series sequence.....263
Diacria.....206, 207
 bisulcata.....244
Diastroporlea umbelata.....335
Diceras.....218
Dillwynella erata.....296
Dione veneris.....103
Diplodonta.....164
 braziliensis.....91
 janeirensis.....91
 notata92
 punctata.....91
 semiaspera.....91
 soror.....92
 subglobosa91
 venezuelensis91
Diplothyra.....145
Discorbina bertheloti.....267, 273
Discopora.....156
Dispacus.....301
 glabratus.....222
Dispatch Reef Mud lump.....321
Ditrupa334
 dentalina219
 planum.....220
Divaricella chipolana.....91
 dentata.....91
 quadrisculcata90
Donax angustatus.....128
 brasiliiana.....130
 carinata var. *galvestonensis*
 129
 denticulata.....167, 128
 fabagella.....164, 200
 fabagelloides.....189, 200
 fossor.....128
 galvestonensis.....129

Donax lævigata.....	130
parvula.....	128
protractus	128
obesa	129
rœmeri.....	129
striata.....	164, 167, 189
texasiana	128
tumida.....	128
variabilis.....	128, 129
Dosiniopsis lenticularis.....	10
Dosinia acetabulum.....	189
concentrica.....	98, 99
cyclica	190, 297
discus	98
elegans.....	99
liogona.....	297, 302
intermedia.....	99
tenuis	103
transversa	99
Dreissena americana.....	70
leucopheata.....	70
Duchassaing, mention of	174
Duncan, mention made.....	175

E

Echinanthus antillarum.....	225, 295
Echinolampas antillarum.....	275
clevei.....	254
lycopersicus.....	193, 254
ovumserpentis.....	193, 254, 275
semiorbis.....	193, 254, 276, 295
Echinochama arcinella.....	71
Echinometra acufera.....	192, 253
lobata	192
prisca	253
Echinoneus cyclostomus.....	192
minor	253
orbicularis.....	192
Echinus cameleo	192
Ehrendergi	182
Ehrenbergina serrata.....	270
Eleacrinus.....	228
Ellipsoidina ellipsoides.....	271, 278

Ellipsoidina exponens.....	271, 278
subnodosa.....	277, 278, 283
Encope Desmoulinsii.....	192
Ensis americana.....	130
directus.....	130
ensis.....	130
magnodentatus.....	130
minor	131
Eozoon canadense.....	227
caribeum.....	150, 227, 229
Erato	163
mangeræ.....	107
vaughani.....	3, 23
Eriphyla	77
lunulata.....	77
Erodona.....	141
Ervilia concentrica.....	138
planata	138
Erycina floridana	93
tensa.....	190
Eschara	165
Etheridge, determination of	
Pointe à Pierre.....	156
On Trigonia from older	
Parian Rocks.....	156
Paleontologic work of.....	206
Eucharis elliptica.....	74
Eucyrtidium acepalum.....	266
ampulla	266
excellens.....	266
gematum.....	266
montgolfieri.....	266
Eulima egregia.....	296, 298
polita	163
Eulopia.....	83
Eupatagus antillarum.....	257
clevei.....	257
grandiflorus.....	257
Eurytellina	112
Euvola	58
Fabella constricta.....	94
Fasciolaria filamentosa.....	213
gigantea.....	222

F

<i>Fabella constricta</i>	94
<i>Fasciolaria filamentosa</i>	213
<i>gigantea</i>	222
<i>intermedia</i>	184, 213
<i>semistriata</i>	184, 297, 300
<i>tarbelliana</i>	213
<i>textilis</i>	212, 300
<i>Favosites</i>	150
<i>fenestralis</i>	227, 229
<i>fibrosa</i>	227
<i>Ficula carbasea</i>	185, 212, 297, 300
<i>mississippiensis</i>	300
<i>reticulata</i>	300
<i>Ficus affinis</i>	1, 8, 11
<i>mississippiensis</i>	8
<i>Fissurella cayennensis</i>	187
<i>pileola</i>	163
<i>Flustrella concentrica</i>	266
<i>Foraminifera</i> list from Marbela	
Manjak Mine.....	283
Table of Distribution.....	269
<i>Fossarus costatus</i>	163
<i>Fossularca</i>	45
<i>Fragum</i>	96
<i>Fronicularia alata</i>	271
<i>complanata</i>	271
<i>flabelliformis</i>	278
<i>inæqualis</i>	271, 283
<i>interrupta</i>	271
<i>milleti</i>	271
<i>mucronata</i>	283
<i>pupa</i>	271
<i>striata</i>	283
<i>Fulcrella</i>	74
<i>Fulguroficus argutus</i>	11
<i>Fusoficula</i>	17
<i>angelinensis</i>	2, 18
<i>Fusus canaliculata</i>	162
<i>echinatus</i>	248
<i>haitensis</i>	185, 309
<i>henekeni</i>	184
<i>interstriatus</i>	11

<i>Fusus irrasus</i>	11
<i>pagodus</i>	248
<i>subteniuis</i>	11

G

Gabb, W. M., reference to.....	263
<i>Gadinia afra</i>	187
<i>Gafrarium cerina</i>	99
<i>Gastrochaena cuneiformis</i>	142, 188
<i>hians</i>	142
<i>ovata</i>	142, 165
<i>rostrata</i>	142
<i>rupestris</i>	142
<i>Gaudryina baccata</i>	270
<i>labata</i>	278
<i>pariana</i>	270, 278, 323
<i>pupoides</i>	270, 277
<i>Gemma gemma</i> var. <i>purpurea</i>	109
<i>manhattanensis</i>	109
<i>Glans</i>	79
<i>Glandulina æqualis</i>	271
<i>lævigata</i>	258, 271, 283
<i>obtusissima</i>	271
<i>rotundata</i>	271
<i>Globigerina æquilateralis</i>	273
<i>buloides</i>	258, 273, 277, 283
<i>conglobata</i>	273
<i>cretacea</i>	273
<i>digitata</i>	273
<i>dutertrei</i>	273
<i>inflata</i>	273
<i>pachyderma</i>	273
<i>quadrilobata</i>	273
<i>triloba</i>	273
<i>Glycymeris charlestonensis</i>	53
<i>idoneus</i>	10, 353
<i>navicula</i>	142
<i>pectinata</i>	53
<i>pectiniformis</i>	53
<i>subovata</i>	54
<i>subovata</i> var. <i>plagia</i>	54
<i>subovata</i> var. <i>twomeyi</i>	54
<i>Glyphostoma dentiferum</i>	309
<i>Gnathodon</i>	133

Gobraeus.....	125
Gonatosphæra prolata.....	278, 323
Goniatites caribeus.....	318
Gouldia.....	99
martinicensis.....	189
gregariella.....	67
Gregory, Geology of Trinidad.....	295
Gryphæa athyroides.....	191
Gundlachia ancyliiformis.....	182
Guppy, R. J., born, etc.....	III
On Watts' Antigua	
geology.....	329

H

Haiti, Miocene fossils of.....	151
Halicalyptra setosa.....	266
Halioma oculatum.....	267
Haliomatina entactinia.....	266
humboldti.....	266
oculatum.....	266
Haminea grandis.....	17
Hamites.....	318
Haliris fisheriana.....	74
Haplophragmium agglutinans.....	269
foliaceum.....	283
emaciatum.....	269
glomeratum.....	269
neocomianum.....	283
Haplostiche soldanii.....	269, 323
Harris, G. D., on Carolina and	
Eocene fossils.....	13
Hemiasiter michelotti.....	193
Hemicardium columba.....	96
Hemimactra.....	132
gigantea.....	223
Hemisinus bicinctus.....	288
sulcatus.....	288
tenellus.....	288
Heneken, mention of.....	174
Here.....	85
Heterostegina depressa.....	274
Heterodonax alexandra.....	126

Heterodonax bimaculata.....	126
Heterocercal fish.....	10, 249
Hippagus.....	73
Hormosina globulifera.....	269
Humboldt, mention of.....	173, 174
Hyalea digitata.....	9, 244, 245
globulosa.....	245
inflexa.....	207
labiata.....	207
quadridentata.....	245
tridentata.....	245
uncinata.....	245
vendryesiana.....	206, 244
ventricosa.....	9, 245
Hysteroconcha.....	102

I

Iphegenia.....	130
----------------	-----

J

Jagonia.....	83
Jamaica Miocene Pteropoda.....	244
Tertiary mollusca of.....	149
Tertiary fossils of.....	151, 204
Specific relations.....	194
Jones, Rupert, on Orbitoides.....	285
Jordan Hill, concerning age.....	160

K

Kennerleya.....	72
Komuto Shellbed.....	153
Krithe bartonensis.....	266
producta.....	266

L

Labiosa compechiensis.....	138
canaliculata.....	137
lineata.....	137
nuttallii.....	137
papyracea.....	137
recurva.....	137
Lævicardium.....	10, 97
Lagena.....	277
alveolata.....	272

- Lagena apiculata*.....272
 ariminensis.....283
 aspera.....272
 castrensis.....272
 crenata.....272
 distoma.....272
 fimbriata.....272
 formosa.....272, 283
 haidingeri.....283
 hispida.....272
 lagenoides.....272
 laevigate.....272
 laevis.....272
 longispina.....272
 marginata.....272
 orbigniana.....272, 283
 pulchella.....272
 squamosomarginata.....272
 striata.....272
 striato punctata.....272
 sulcata.....372
 tetragona.....272
 trigonomarginata.....272
Lambeau, specimens from.....280
Latirus.....353
 infundibulum.....184
 teselatus.....297, 300
Laventille Hills, Blue Limestone
 series.....151
 Heterocercal fish found.....157
Lavignon antillarum.....124
 petitiana.....124
Leda.....10, 24
 acuta...9...38, 39, 241, 242, 335
 bisulcata...9...150, 190, 219, 242
 clara.....9.....241
 coelata.....1.....6
 coelatella...1.....6, 10, 353
 coelatoides.....6
 concentrica.....39
 cuneata.....38
 cutelliformis.....10, 353
 dodona.....39
 eborea.....39
 eburnea.....164, 201, 242
 egregia...9.....243
 flexuosa.....335
 hebes.....40
 illecta...9.....201, 217, 242
 improcera.....10
 incognita.....150, 190, 219, 241
 jamaicensis.....38, 238, 242
 lanceolata.....243
 magna.....10
 nasuta.....219
 packeri...9.....190, 219, 241
 patagonica.....238, 243
 parva.....353
 perlepida.....190, 200, 201, 219
 potomacensis.....353
 pusio.....42
 sapotilla.....241
 solidula.....40
 subæquilatera.....40
 unca.....38
 vitrea...9.....238, 241
Leiostraca acuta.....163
 clavata.....182, 196
Lepidocyclina elephantina.....324
 marginata.....284, 324
 tournoueri.....324
Leptodomus.....230, 231
Leptoxis crenocarina.....288
Leroyi.....182
Levifusus.....353
 whitei...3.....21
Lima confusa.....63
 fasciata.....63
 inflata.....63
 lima.....62
 ovata.....64
 radula.....63
 squamosa.....63
 tenera.....63
Limatula.....63
Limopsis aurita.....42

<i>Limopsis cristata</i>	42	<i>Lucina leana</i>	88
<i>minuta</i>	43	<i>lens</i>	88
<i>subangularis</i>	298	<i>lenticula</i>	83
<i>tenella</i>	43	<i>multilineata</i>	88
<i>Lioberus</i>	68	<i>muricata</i>	189
<i>Liotellina</i>	112	<i>orbicularis</i>	83
<i>Lirodiscus protractus</i>	354	<i>papyracea</i>	10
<i>tellinoides</i>	354	<i>pecten</i>	84
<i>smithvillensis</i>	354	<i>pensylvanica</i>	189
<i>virginianus</i>	353, 354	<i>philippiana</i>	82
<i>Lirophora</i>	105	<i>radiata</i>	87
<i>Lithocyclia</i>	266	<i>schrammi</i>	82
<i>ocellus</i>	267	<i>semireticulata</i>	92
<i>Lithodomus appendiculatus</i>	69	<i>squamosa</i>	84, 164
<i>biexcavatus</i>	69	<i>strigilla</i>	91
<i>bipenniferus</i>	247	<i>tigrina</i>	83, 189
<i>bisulcatus</i>	69	<i>trisolcatus</i>	85
<i>caudigerus</i>	69, 247	<i>tuomeyei</i>	90
<i>Lithopera lagena</i>	266	<i>uhleri</i>	10
<i>Lithophaga aristata</i>	69	<i>whitei</i>	10
<i>bisulcata</i>	69	<i>Lucinisca</i>	86
<i>forficatus</i>	69	<i>Lucinopsis grundlachi</i>	104
<i>Lithothamnion orbitoides</i>	336	<i>tenuis</i>	104
<i>Loripes edentula</i> var.		<i>kroyeri</i>	104
<i>chrysostoma</i>	82	<i>Lunulites</i>	165
<i>icterica</i>	83	<i>Lysonia beana</i>	73
<i>Loxenema linctata</i>	230	<i>braziliensis</i>	73
<i>Lunatia marylandica</i>	11, 353	<i>floridana</i>	72
<i>Lucina alveata</i>	10	<i>formosa</i>	73
<i>americana</i>	91	<i>hyalina</i>	73
<i>antillarum</i>	84	<i>orbigny</i>	73
<i>chrysostoma</i>	81	<i>Lyrodus</i>	146
<i>claibornensis</i>	11		
<i>conradi</i>	91		
<i>costata</i>	90		
<i>crenella</i>	88		
<i>crenulata</i>	88		
<i>dartoni</i>	10		
<i>divaricata</i>	91		
<i>edentula</i>	82		
<i>floridana</i>	87		
<i>granulosa</i>	92		
<i>imbricatula</i>	84		

M

<i>Machipur</i> , fossils from	290
<i>Machærodonax</i>	129
<i>Macoma brevifrons</i>	121
<i>cerina</i>	119
<i>constricta</i>	119
<i>extenuata</i>	121
<i>inornata</i>	119
<i>lateralis</i>	119
<i>leptonoidea</i>	120
<i>limula</i>	121

- Macoma mitchelli*.....120
 phenax120
 récluziana.....120
 souleyeti.....120
 souleyetiana120
 tageliformis121
 tenta120
Macrocallista gigantea100
 maculata.....100
 nimbosa.....99
 subimpressa353
 veatchi.....3.....21
Macrondon asperella.....46
Macropneustes antillarum.....256
 clevei.....256
Mactra anserina.....5.....131, 222
 bilineata131
 brasiliانا131
 carinata167
 dealbata131
 fragilis.....131
 oblonga.....131
 oblongata.....131
 ovalis.....223
 ovalina131
 silicula.....131
 similis.....132, 223
 subovalina.....150, 188
 turgida.....164, 167, 188
Mactropsis olssoni.....15.....353, 354
Mactrinula macescens188
Mactrotoma.....131
Malea camura.....185
Malletia amabilis.....41
 cytherea41
 veneriformis41
Mangelia micropleura.....186, 198
 tæniata.....198
Manjak, Marbela Mine.....153, 282
Manzanilla, concerning age.....160
 Beds, specific relations.....194
Marcia pariaensis.....3.....20
Margaritana pfeifferiana.....289
Margaritiphora placunoides.....56
 radiata56
Margiculina costata271
 glabra271
Marginella arcuata.....297, 335
 aurora.....299
 balista.....299
 cærulescens163, 187
 coniformis187, 297, 299
 denticulata299
 elegantula299
 floridana.....299
 interrupta187
 newmani.....299
 solitaria297
 soverbii.....335
 Sowerbyi.....299
Mathilda plexita.....296
Martesia caribæa.....145
 corticaria145
 cuneiformis.....144
 striata.....144, 188
Martinique, geology of.....154
 Guppy on geology of.....336
Matura beds, climate, period
 of deposition.....166
 Relations168
 Specific relations.....194
Maury, C. J., on Trinidad
 fossils337
 On recent Gulf Mollusca
 and Pleistocene, Plio-
 cene Gulf States.....35
Mayaro, sequence of rock.....263
Meiocardia carolinæ.....14
Melania brasiliensis.....288
 cingulata288
Melanopsis288
 cecula.....216
Melina obliqua.....55
Melongena.....184
Membranipora300
Mercenaria violacea.....108

- Meretrix angelinae*...2.....16, 18
 lenis.....11
 ovata var. *pyga*.....11
 subimpressa.....11
Merisca.....112
Mesopleura.....127
Metis ehippium.....118
 ? *eutawensis*...2.....14
 grüneri.....118
 interstriata.....218
 sagræ.....119
 trinitaria.....302
Metula cancellata.....247
 lintea...9.....246, 247
Metulela venusta.....311
Milola seminulum.....194
Miliolina.....267
Miolina agglutinans.....269
 aubेरiana.....269
 cuvieriana.....269
 oblonga.....269
 seminulum.....269
 subrotunda.....269
 trigonula.....269
 venusta.....269
Mitra henekeni.....187, 297, 299
 longa.....299
 pomonkensis.....12
 silicata.....299
 symetrica.....299
 titan.....299
 varicosa.....187
Modiolaria.....24
 castanea.....68
 lateralis.....68
 lignea.....69
Modiola appendiculata.....69
 castanea.....68
 caudigera.....69
 cinnamomea.....68
 elliptica.....68
 lignea.....66
 plicatula.....67
Modiola sulcata.....68, 164
Modiolus alabamensis.....11
 critrinus.....67
 demissus.....67
 lutens.....66
 opifex.....67
 papyrius.....66
 politus.....66
 politus var. *sagittatus*.....66
 semicostatus.....67
 tulipus.....66
Modulus basileus.....338
 turbinatus.....309, 313
Mœrella.....113
Mollusca, Gulf of Mexico.....35
Moruga, sequence of rock.....263
Montacuta bidentata.....93
 floridana.....93
 limpida.....94
Montserrat, concerning age.....160
 Section from, to Oropuche...14
Moore, Carrick, mention made
 174, 175, 176
Monodonta brasilea.....217
 elegans.....217
Mount Irvine, specimens from.....281
Mulinia lateralis.....133
 lateralis var. *corbuloides*...134
 quadricentennialis.....134
 rostrata.....134
 sapotilla.....134
 subtruncata.....133
Murchsonia anna.....230
 linearis.....230
Murex.....164
 calcitrapa.....215
 collatus.....215
 cornurectus.....297, 299, 312
 domingensis.....184, 309
 miocenica.....297, 299
 mo-quinianus.....312
Mya distorta.....71
Mya labiata.....141

<i>Mya simplex</i>	74
<i>Myadora arenosa</i>	72
<i>Myalina</i>	141
<i>Myonera lamellifera</i>	75
<i>Myrtæa compressa</i>	82
<i>lens</i>	82
<i>sagrinata</i>	83
<i>Mysia pellucida</i>	91
<i>tenuis</i>	104
<i>Mytiloconcha incrassata</i>	65
<i>Mytilus aristatus</i>	69
<i>bidens</i>	65
<i>carolinensis</i>	65
<i>cinnamomens</i>	68
<i>citrinus</i>	67
<i>conradianus</i>	65
<i>cubitus</i>	68
<i>domingensis</i>	65
<i>exustus</i>	65
<i>frons</i>	57
<i>hamatus</i>	65
<i>incrassatus</i>	65
<i>lateralis</i>	68
<i>leucopheatus</i>	70
<i>striatus</i>	65
<i>Mytilopsis leucopheatus</i>	70

N

<i>Naparima</i> , Eocene fossils... 152, 275	
Foraminifera beds.....	276
Foraminifera.....	278
List of foraminifera.....	258
Foraminifera and Radiolar-	
ian beds.....	152
<i>Globigerina</i> , rock of.... 152, 278	
On geology and paleontol-	
ogy.....	262
Polycystina beds.....	258
Radiolarian marls.....	276
Sequence.	263
Tertiary conditions....	265
<i>Nariva</i> series, sequence.....	263
<i>Nassa caribæa</i>	335
<i>Nassa incrassata</i>	162, 165, 185
<i>solidula</i>	185, 214
<i>Natica alapapilionis</i>	310
<i>carena</i>	183, 296, 301, 310
<i>cuspidata</i>	308, 310
<i>phasianelloides</i>	183, 296
<i>plicatela</i>	310
<i>straminea</i>	163
<i>subclausa</i>	183, 296
<i>sulcata</i>	183, 337
<i>Naticina lamarckiana</i>	209
<i>papilla</i>	209
<i>regia</i>	208
<i>Næra costellata</i>	188, 217
<i>Neilonella</i>	42
<i>Neritina woodwardi</i>	187
Newcastle, Virginia Eocene,	
new species.....	352
Newer Parian beds.....	162
Guppy propose to drop.....	180
<i>Nodipecten</i>	59
<i>Nodosaria abyssorum</i>	
....	268, 271, 277, 323, 324
<i>acicula</i>	271
<i>arundinea</i>	271
<i>comata</i>	271, 283
<i>communis</i>	271
<i>consobrina</i>	271
<i>farcimen</i>	271
<i>filiformis</i>	271
<i>glabra</i>	258
<i>longiscata</i>	271
<i>mucronata</i>	271
<i>obliqua</i>	271
<i>ovicula</i>	258, 271
<i>pauperata</i>	271
<i>plebeia</i>	271
<i>pyrula</i>	258, 271
<i>radicula</i>	271
<i>raphanus</i>	271
<i>raphanistrum</i> 194, 258, 271, 283	

Nodosaria roëmeri.....	271
rugosa	268
scalaris	271
simplex.....	271
soluta.....	283
veruculosa.....	271
Noëtia orbigny.....	51
ponderosa	47
ponderosa var. carolinensis.....	47
Nonionina.....	267
depressula.....	274
exponens.....	274
pompilioides.....	274
umbilicatulula.....	274
Nucula acuta.....	38
ægeensis.....	37
baccata.....9.....	190, 201, 240
bivergata	238
cobboldiæ	238
castrensis.....	238
chipolana.....	37
concentrica	39
crenulata	37
crosbyana.....9.....	239
culebrensis.....	37
cymella.....	37
cytherea.....	41
divaricata.....	238
eborea.....	39
mixta.....	240
obliqua.....	36, 240
obliqua var. trunculus.....	37
ornatissima	238
patagonica.....	243
potomacensis.....	11
proxima.....	36, 240
pusio.....	42
recurva.....	238
schomburgki.....9..	150, 190, 238
semiornata.....	238
similis.....	164, 166, 201
tellinoides.....	238, 243
trigona	37

Nucula verrilli	37
vieta.....	190, 201
Nuculocardia divaricata.....	69
Nummulina.....	149
radiata.....	274
ramondi.....	194, 258, 274
rouaulti.....	274
Nummulites	159

0

Odostomia.....	163
cancellata.....	182
lævigata.....	182
Older Parian, Guppy propose	
to drop.....	180
Age of.....	156
Formation.....	155
Oliva cylindrica	186, 297
hispidula.....	186
monilifera.....	222
mutica.....	222
nitidula.....	222
oryza.....	163, 167, 186
reticularis	185, 222
Oniscia domingensis.....	185, 222
Opalia inculpta.....	350
Operculina complanata.....	274
Orbitolites complanata.....	269, 337
Orbitoides	159
complanatum.....	194
dispanses...II	284
fortisii.....	285
mantelii.....	149, 258, 274, 285
Orbulina universa.....	258, 273
Osteodesma hyalina.....	73
Ostracoda.....	266
Ostrea borealis.....	56
carinata	156
cristata	57
cucullata.....	164, 165, 191
cucullata var. terebratuli-	
formis	164
edulis	156

equestris	57
fasciata.....	63
frons	57
fundata	57
gibba.....	59
haitensis	304
nodosa.....	59
percassa.....	298, 304
sellaeformis.....	11, 353
tryonii.....	304
virginica.....	56, 191, 298, 304
Ovulum immunitum.....	210
leathesi.....	211
spelta	211

P

Pandora arenosa	72
bushiana.....	72
carolinensis	72
nasuta.....	72
trilineata	72
Panderella arenosa.....	72
Panope bitruncata.....	142
floridana.....	142
menardi	142
navicula.....	142
Papyridea.....	96, 164, 165
Paradione.....	100
Paramya subovata.....	141
Parastarte concentrica.....	109
triquetra	110
Parvilucina	87
Pavonina flabelliformis.....	270
Pecchiolia dalliana.....	16
wemmelenensis.....	16
Pectacrinus obtusus.....	193
rotularis	193
Pecten anguillensis.....	191, 202
burnsii	19
choctavensis	11
clarkeanus.....	353
comparilis.....	191, 303
concentricus	60

Pecten corallinus.....	59
crasicardo.....	298, 303
demiurgus.....	303
dislocatus.....	59, 60
eccentricus.....	303
elixatus.....	15
exasperatus	191
fragosus.....	59
gibbus var. dislocatus.....	60
greggi	11
inæqualis.....	191, 298, 303
irradians var. dislocatus.....	69
japonica	313
lyonii.....	309, 313
mortoni.....	191
nodosus.....	59
nucleus	164, 191
oxygenus.....	191
papyracea.....	313
peedeensis	203
phrygium.....	58
pieuronectes	313
poulsoni	16
purpuratus.....	60
soror.....	309, 313
thetidis.....	191
trentensis.....	15
ziczac.....	58
Pectunculus acuticostatus.....	191, 309
aratus.....	53
decussata.....	164
minutus	43
pennaceus	191
Pentacrinus obtusus.....	203
rotularis	23
Periaster	255
Perichlamydidium accrescens.....	266
spirale.....	266
Periphæna decora.....	267
Periploma angulifera.....	70
compressa	246
inæquivalvis	70
papyracea.....	70

Periploma orbicularis ...9.....	246	Pholas producta.....	143
Perna obliqua.....	55	smithi.....	145
Persicula.....	163	Pholadidea calva.....	165
Persona clathrata.....	222	Phyllodina squamifera.....	113
reticularis.....	222	Phos elegans.....	185
similima.....	185, 222, 297	erectus.....	213
Petalocochus domingensts.....	301	guadelupensis.....	222
sculpturatus.....	183, 296, 301	moorei.....	185, 309
Petraia.....	299	solidulus.....	214
Petricola fornicata.....	111	Physa ancillaria.....	164
pholadiformis.....	110	rivalis.....	182
typica.....	110	Pinctada colymbus....	55
Petricolaria.....	110	Pinna muricata.....	54, 55
Phacoides amiantus.....	90	rigida.....	54
approximatus.....	89	seminuda.....	54, 55
claibornensis.....	353	serrata.....	54, 55
crenulatus.....	88	squamosissima.....	55
floridanus.....	87	Pitaria dione.....	102
fontis.....	89	eucymata.....	102
funiculata.....	85	fulminata.....	102
grandinata.....	185	ovata.....	353
jamaicensis.....	84	simpsoni.....	102
leucomya.....	85	Placenta patinata.....	309
multilineata.....	88	Placunanomia abnormalis.....	64
multristriata.....	85	echinata.....	64
multristriata blandus.....	86	harfordi.....	64
nassula.....	86	rudis.....	64
pectinatus.....	84	Plagiotenium.....	59
pennsylvanicus.....	85	Plagionotus loveni.....	256
piluliformis.....	87	Planispirna celata.....	269
plesiolophus.....	86	contraria.....	269
pomilia smithi.....	353	sigmoidea.....	269
radians.....	87	Planorbella imitans.....	244
recurvens.....	86	Planorbis.....	164
scabra.....	85	terversanus.....	182
sombrerensis.....	85	Planorbulina larvata	
speciosa.....	85	273, 323, 324, 333, 334	
trisolatus.....	85	mediteranensis.....	334
Philippini.....	73	vulgaris.....	334
Pholas campechiensis.....	243	Plejona petrosa.....	12, 353
candeana.....	143	Pleuronectia papyracea.....	61
clavata.....	145	Pleurolucina.....	85
oblongata.....	143	Pleurophopsis.....	23

- Pleurotoma* Barretti..... 186
 belardii.....311
 consors.....186
 crenostrinata.....17
 elator.....186
 fusca.....163
 haitense.....186, 212, 309, 335
 henekeni.....186, 211, 309, 311
 humerosa.....311
 jamaicense.....186, 311
 jaquense.....186, 311
 longicaudata.....311
 luctuosa.....186
 miranda...9.....247
 nodifera.....163
 rotata.....248
 sinuosa.....163
 squamosum.....309
 unioides.....3.....24, 25
 unioides var. fernandensis 3 25
 venustum.....186, 309, 311
 virgo.....163
Pleuromella alternans.....270
 brevis.....270, 277
 rapa.....270
 subnodosa.....270, 277
Plicatula cristata.....62
 filamentosa.....17
 gibbosa.....62
 ramosa.....62, 219
 spondyloidea.....62
 vexillata.....62, 205, 218
Podocyrtes argulus.....266
 dominasinensis.....266
 mitrella.....266
 puellasinensis.....266
Pododesmus rudis.....64
Pointapier Ditrurpa bed,
 geology of.....322
Pointe à Pierre, fossils from.....157
Point Noir, sequence of rocks...263
Polycystina beds of South
 Naparima.....258
Polymorphina anceps.....272
 angusta.....272
 burdigalensis.....272
 communis.....283
 cylindroides.....273
 elegantissima.....272
 fusiformis.....273
 gibba.....258, 272
 horrida.....277
 lactea.....272
 lanceolata.....273
 problema.....272
 sororia.....273
Pontocypris faba.....266
 simplex.....266
 trigonella.....266
Poromya granatina.....74
Potamomya.....141
Portlandia intermedia.....40
Prenaster loveni.....256
Propeamusium.....62
Protocardia islahispaniolæ.....98
 peramabilis.....98
Psammobia cayennensis.....119
 vaginata.....125
Psammacoma.....121
Psammosolen cumingianus.....127
 multilineata.....128
Pseudamusium strigillatum.....61
 vitreum.....61
Pseudocrinites.....229
Pseudomolltha.....87
Pseudoliva.....12
 soldadoensis.....3.....22
 vestuta.....354
 vestuta var. clausa.....12
Psammotella.....125, 126
Pteria colymbus.....55
 colymbus var. brevicauda.....56
 radiata.....56
 vitrea.....56
Pteropsis harrisi.....15.....353, 354
 lapidosa.....354

Pullenia	265
quinqueloba	273
sphæroides	273, 277
Pulvinulina canariensis.....	274
crassa.....	274
elegans.....	274, 283
menardi	267
pauperata.....	274, 277, 283
Purpura galea.....	212
miocenica.....	212
plicata.....	212
squamulosa.....	212
trinitatensis	248
Pygorrhynchus jamaicensis.....	193

Q

Quadrula apiculata.....	58
trapezoides.....	58

R

Ræta.....	137
canaliculata.....	312
meridionalis.....	12.....309, 312
Ranella crassa.....	184
Rangia clathrodon	135
cuneata.....	135
cuneata var. galvestonensis	136
cuneata var. nasuta.....	136
cuneata var. solida.....	136
cyrenoides.....	135
flexuosa.....	137
grayi	135
johnsoni.....	136
minor	135
mobiliiana	136
rostrata	137
Rangianella.....	137
Ranina cuspidata.....	11.....290, 298, 304
palmacea.....	290
porifera.....	193, 290
Reophax nodulosa.....	269, 283
pilulifera.....	269
Rhabdogonium tricarinatum.....	271

Rhabdolithis ingens.....	266
Rimella cf. texana.....	17
Rincon, fossiliferous bed.....	162
Ringicula dalli.....	354
semistriata.....	208
tridentata	208, 296
Rissoa pariana.....	296
Robulata cultrata.....	194
Rochefortia planulata	93
planulata var. fragilis.....	93
Rosalina Beccarii.....	194
Rotalia beccarii.....	274
broeckiana.....	274
corallinarum.....	258
orbicularis.....	258, 274
soldanii	274, 283
Rupellaria	110

S

Sagrina nodosa.....	273
raphanus	273
virgula.....	273
Salterella.....	150
San Fernando beds, Eocene	
conditions	260
Trinidad, foraminifera of...	150
Foraminifera in.....	159
Beds, specific relations.....	194
Sanguinolaria operculata	125
rosea	125
sanguinolenta	125
unioides	297
vitrea.....	126
Saturnia.....	42
Savanagrande, coal at Williams-	
ville.....	231
Sangregrande, Trinidad, bor-	
ings	153
Savaneta, Caroni series of, 154, 332	
Coal strata.....	161
Sequence of rock.....	263
Saxicava artica.....	141
azaria.....	141
rugosa.....	141

- Scalaria clathrus*.....182
 decussata208
 leroyi..... 195, 207, 298, 298
 lineata.....208
 magnifica.....208
 pyramidalis.....163
 raricosta.....208
 tenuistriata.....208
Scapharcara auriculata.....48
 brasiliانا.....50
 campechensis51
 chemnitzii.....51
 glomerula.....52
 inæquisculpta.....52
 incongura.....50
 labiata52
 lienosa.....48
 lienosa var. *floridana*.....48
 pectunculoides53
 pectunculoides var. *orbicu-*
 lata53
 santarosana48
 secticostata48
 transversa.....48
 transversa busana.....48
Schizaster cubensis.....193
 scillæ.....193
Scissula.....117
Scutella micheli.....192
Semele bellestriata.....122
 cancellata.....122
 carolinensis.....122
 decussata121
 jayanum122
 lata.....123
 linosa11
 nexilis.....123
 nuculoides.....123
 nuculoides striatula.....123
 proficua.....121
 purpurascens.....122
 radiata.....122
 variegata.....189
Semelina..... 123
Shark's teeth12
Shizaster clevei255
 elongatus255
 loveni.....255
 scillæ.....255
 subcylindricus255
Sigaretus delessertii.....163
 depressens.....183
Siphonium decussatum.....163, 183
Sismondia antillarum.....254
 anguillæ.....254
Solariella godineansis3.....26
Solarium ianthinæ.....1.....8, 12
 quadriseriatum.....184, 296, 299
 semidecussatum183, 197
 tesselatum222
Soldado Rock, Eocene age of.....337
Solen ensis.....131
 viridis130
Solenella240
Solemya occidentalis.....36
Solenosteira cochlearis.....12.....309, 312
 semiglobosa.....12.....309, 311
Soletellina rufescens.....126
South Naporima, Polycystina
 beds of151
 Sequence of.....263
Spengleria.....142
Sphærella anteproducta.....17
 bullæ17
Sphæroidina.....265
 bulloides273
 variabilis273
Sphena costellata75
Spiroclypeus.....337
Spiroloculina alata269
 excavata.....269
 fragilissima269
 limbata269, 283
 nitida258
 robusta283
 tenuis269

Spiroloculina tenuiseptata.....	26
Spiroplecta americana.....	270
annectens.....	260
biformis.....	283
Spirorbis clymenioides.....	193
Spisula paralis.....	11, 359
quadricentennialis.....	132
similis.....	132
similis var. raveneli.....	132
Spondylus americanus.....	63
bifrons.....	203, 219
bostrychites.....	191, 203, 219
echinatus.....	62
gussoni.....	63
spathuliferus.....	62
Spongosphæra rhabdostyla.....	267
Sportella constricta.....	94
Springvale, Trinidad, on fossils of.....	322
Fossils from.....	153, 292, 306
Geology of.....	13, 307
St. Croix, concerning age.....	160
Stillostomella rugosa.....	278
Stomatia eidolon.....	150, 187
Strepsidura subscalarina.....	12, 354
Strigilla areolata.....	117
carnaria.....	117, 164, 189
carolinensis.....	118
flexuosa.....	117
galvestonensis.....	118
Strombus ambiguus.....	184
bifrons.....	184, 215
fragilis.....	214
haitensis.....	184
proximus.....	184
pugilis.....	184, 214
pugiloides.....	205, 214
Stromatopora carpentaria.....	200, 300
Styliola sulcifera.....	244
Stylodictya.....	266
Stylosphæra.....	266
Syndosmya nuculoides.....	123

T

Tagelus adamsoni.....	127
bidentatus.....	127
bidens.....	127
carpenteri.....	127
caribæus.....	127
centralis.....	127
declivis.....	127
divisus.....	127
equalis.....	127
floridana.....	127
fragilis.....	127
gibbus.....	126
guineensis.....	127
lineatus.....	127
notata.....	127
Tamana, fossils from.....	153, 290
Tarbelliana pyrula.....	184
Teinostoma lævis.....	12, 354
subrotunda.....	12, 354
vitrea.....	335
Tellidora cristata.....	118
lunulata.....	118
Tellina acuta.....	114, 164
agilis.....	114
alternata.....	112
alternata var. tayloriana.....	113
antoni.....	111
biplicata.....	188, 302
brasiliiana.....	111
consobrina.....	115
constricta.....	302
crysostoma.....	81
cuneata.....	113
decussata.....	112
elliptica.....	114
elucens.....	114
ephippium.....	303
fausta.....	111
georgiana.....	113
gouldii.....	113
gruneri.....	302
interrupta.....	111

- Tellina iris*.....117
 laevis111
 laevigata.....111
 lintea111, 112
 maculosa111
 magna.....114
 martinicensis.....113
 mera116
 mirabilis.....118
 modesta115
 mooreana.....11
 nivea112
 obliqua122
 obtusa.....114
 omoia114
 ornata.....122
 papyria.....353
 pauperata.....116
 pectinata84
 polita.....115
 promera116
 punicea.....112
 radiata.....112
 refescens ..126
 sagræ297, 302
 sayi.....115
 simplex116, 117
 sobralensis.....302
 striata.....111
 strophia.....297, 302
 sybaritica.....115
 tampænsis116
 tenella.....114
 tenera.....114
 tenuis.....111
 texana.....115
 tumida.....114
 unimaculata112
 variegata.....122
 versicolor.....115
 vicina126
Terebra bipartita.....185, 312
 flammea.....185
 inaequalis....185, 312
 succinta162
 sulcifera.....185, 309, 312
Terebratulula bicanaliculata.....276
 carnea.....276
 carneoides191, 276
 depressa.....276
 haueri276
 lecta191
 trinitatensis191
 vitrea276
Teredo chlorotica.....146
 fistula.....188, 297
 marina.....145
 megotara.....146
 nana146
 navalis.....145
 norvegica.....146
 thomsoni146
 virginiana.....11
Texas Eocene fossils.....13
Textularia agglutinans.....270
 barretti.....270
 gramen.....283
 sagittula.....270
 trochus283
 turris270
Thracia distorta.....71
 papyracea.....71
 phaseolina71
 stimpsoni71
Thatcheria mirabilis.....248
Thovana.....143
Thyasira adocassa.....3.....25
 bisecta.....26
 grandis.....92
 granulosa.....93
 pyriformis93
 trisinuata.....93
Timoclea106
Tindaria amabilis.....41
Tindaria cytherea.....41
Tinoporus asteriscus.....274

pilaris.....	263, 274
vesicularis.....	274
Tobago, fossils of	153
Miocene strata	281
Tornatina angellinae.....	17
canaliculata.....	182
coixlacryma.....	150, 182, 209
Tornatella fasciata.....	209
olivula.....	164
textilis	209
Trachycardium.....	94
Transenella conradiana.....	99
Triforis guttata.....	183, 197
Triphoris ventricosus.....	163
Trigona mactroides.....	164, 167, 189
Trigonia subcrenulata	156
Trigoniocardia.....	96
Trinidad, Asphaltic rock of.....	159
Bocas.....	321
Caroni series.....	181
Classification tertiary of.....	179
Correction of letters of rock sequence.....	259
Diagram of rock sequence	264
Dislocations.....	6
Fossils of.....	151, 154
Fossils from Comparo Road	153, 188
Fossils of older rocks.....	224
Fossils of Tamana.....	290
Fossils from Springvale.....	292
Foraminifera of ocean rocks.....	153
Foraminifera of.....	152, 269
Geology of Older Rocks	224
Guppy on growth of.....	153
Guppy on fossils from.....	336
Jordan Hill and St. Croix beds	181
List Miocene fossils.....	296
Lower Miocene.....	181
Manzanilla beds.....	181
Matura beds	181

Trinidad, Moruga series	181
Physical geography	151
Pliocene.....	180
Postpliocene	180
San Fernando beds.....	181
Savanetta beds.....	181
Sequence of rock.....	263
Structure producing Gulf of Paria and Bocas.....	7
Succession rocks.....	8
Tamana series	181
Tertiary brachiopoda.....	149
Tertiary microzoa.....	152, 261
Upper Miocene	181
Tripneustes ventricosus.....	192
Triton femoralis.....	184
gemmatus	184
variegatus	184
Trochamina conglobata.....	269
coronata	269
proteus	283
Trochita candeana	187
colinsii.....	296, 301
Trochus cypris	217
decipiens	188, 199
decipiens laticarinatus	188, 199
granulatus.....	163, 165, 199
plicomphalus.....	188, 200
ziziphinus	200
Trophon Barvicensi.....	351
fimbriatulus.....	351
Truncatulina akneriana.....	273
culter	273
haidingeri	273
lobatula	273
mundula	273
præcincta.....	283
reticulata	273
tenera	273
Tuba marylandica.....	12
Tudicla sp.....	12
Turbinelus ovoideus	297
scolymoides.....	309, 313

<i>Turbinelus validus</i>	297, 299
<i>haitensis</i>	184
<i>Turbo castaneus</i>	188, 205
<i>Turbonila octona</i>	296
<i>plastica</i>	296
<i>simplicior</i>	309
<i>tenuilineata</i>	335
<i>Turritella altilirata</i>	310
<i>apicalis</i>	308, 313
<i>clevelandia</i> , var.	12, 354
<i>gabbii</i>	310
<i>gatunensis</i>	310
<i>humerosa</i>	12
<i>imbricata</i>	163, 168, 183, 197
<i>Jewettii</i>	350
<i>mortoni</i>	12
<i>nasuta</i> var. <i>houstonia</i>	12
<i>planigyrate</i>	183, 196, 296, 301
<i>tornata</i>	183, 211, 308, 310, 337
<i>Typhis alatus</i>	184, 215, 297
<i>pinnatus</i>	215
<i>sowerbyi</i>	215
<i>tubifer</i>	215

U

<i>Unio</i> sp.	24, 25
<i>apiculatus</i>	58
<i>nobilis</i>	58
<i>tetralasmus</i> var. <i>declivis</i>	58
<i>Uvigerina aculeata</i>	273
<i>angulosa</i>	273
<i>asperula</i>	273
<i>canariensis</i>	273
<i>porrecta</i>	273
<i>pygmæa</i>	273, 283
<i>schwageri</i>	273
<i>tenuistriata</i>	273

V

<i>Vaginulina legumen</i>	271
Van Winkle, K., on Carpenter	
types	349
On Virginia Eocene fossils....	6
On Eocene, Newcastle, Va.	
.....	352

On Trinidad, new species.....	19
Veatch, A. C., collected Trinidad fossils.....	19
Vendryes, naturalist Jamaica.....	204
<i>Venericardia alticostata</i>	13
<i>armilla</i>	80
<i>blandingi</i>	13
<i>eutawcolens</i>	2, 13
<i>flabella</i>	80
<i>perantiqua</i>	13
<i>perplana</i>	80
<i>planicosta</i> var.	353
<i>planicosta</i> var. <i>regia</i>	11
<i>potapocensis</i>	11
<i>tridentata</i>	80
"wilcoxensis".....	13
Venezuela, fossils from.....	154
Guppy on fossils from.....	336
<i>Ventricola</i>	103
<i>Venus æquivalvis</i>	107
<i>alboradiata</i>	109
<i>antigua</i>	108
<i>blandiana</i>	217, 291, 298, 302
<i>burnsii</i>	301
<i>calcareæ</i>	109
<i>campechiensis</i>	109
<i>campechiensis texana</i>	109
<i>cancellata</i>	108, 189, 221
<i>capax</i>	109
<i>carolinensis</i>	109
<i>cigenda</i>	104
<i>cingenda</i>	104
<i>circinaria</i>	218
<i>crenulata</i>	189
<i>cribraria</i>	105
<i>crispata</i>	103
<i>cuneata</i>	109
<i>edentula</i>	82
<i>elevata</i>	104
<i>flexuosa</i>	107, 108, 189, 222
<i>gallinula</i>	221
<i>glyptocyna</i>	298, 301
<i>granulata</i>	167
<i>halidona</i>	298, 302

Venus hendersonii.....	301
lamellata	104
lunularis.....	107
obtus.....	109
macrodon	107, 164
mercenaria	108
mortoni.....	109
paphia.....	189, 302
pectorina.....	164
pennsylvanica	85
permagna.....	109
præparca	109
puerpera	189
punctifera.....	108
rostrata.....	108
rugosa.....	189, 217, 221
Vertebralina striata	269
submortoni.....	109
superba.....	5, 222
tenuilamellata.....	109
tetrica.....	109
tigerina var.	83
versatilis.....	291
walli.....	189
woodwardi	189
ziczac.....	104
Vermetus.....	12
lumbricalis	163, 183
papulosus.....	183
royanus	163, 197
trilineatus.....	183, 197
Verneuilina polystropha.....	270
propinqua	270
pygmæa.....	270
spinulosa	270
triquetra.....	270
Verneuil, Ludovic, on junction beds, Naparima.....	276
Verticordia acuticostata.....	73
sequenzæ.....	73
woodii	73
Vincularia.....	335
Virginia Eocene fossils.....	6
Vitrinella.....	335

Vitrinella marginata.....	188, 200
Volvula cercadensis.....	352
cylindrica.....	352
Voluta pulchella	187
soror.....	187
Volvarina catenata.....	163, 187
pallida.....	187

W

Wall, mention made	176
Watts, Francis, on West Indian geology.....	327
Webbina clavata.....	269, 283
West Indies, Atlantis.....	150
Cold climate of pliocenè.....	170
Fossil Echinodermata.....	151, 251
Guppy on geology.....	314
Literature on Antigua.....	150
Manzanilla beds.....	150
Mollusca.....	246
N. sp. Ranina	149
On n. sp. Caribbean Mio- cene.....	150
Sp. Leda and Nucula.....	151, 237
Sp. mollusca Anguilla.....	150
Santo Domingo, Trinidad, Cumana.....	150
Tertiary formation... ..	149
Tertiary fossils	172
Tertiary Echinoderms of... ..	149
Tertiary Microzoa.....	261

X

Xylotrya bipennata.....	147
fimbriata.....	147
fimbriata var. subæqualis.....	147
palmulata.....	147

Y

Yoldia frater.....	41
hebes.....	40
intermedia.....	40
liorhina	41
solenoides	41
subequilatera.....	40



3 2044 114 205 164

Date Due

~~11 Jun 50~~~~NOV 22 1950~~~~MAY 11 1955~~~~JAN 1970~~~~DEC 1971~~~~JAN 1973~~~~OCT 1973~~~~JUL 78~~~~JUL 29 1983~~~~APR 28 1989~~

